

STW Industrial Convector Heaters

The heavy duty natural convector type STW air warmer range is most suitable for medium sized spaces. The units can be supplied with an optional integral externally adjustable limit thermostat, a remote thermostat or frost protection as required.




FEATURES

- Heavy duty robust construction
- Suitable for floor or wall mounting
- Powder coated carbon steel construction
- Supplied with plugged cable entries
- Weatherproof protected to IP66 against water and dust
- Optional adjustable 0 to 40°C room temperature controlled thermostat
- 1 × 25mm (plugged) cable entry provided as standard

TYPICAL APPLICATIONS

- Workshops
- Crane cabs
- Dairies
- Ships
- Storage units
- Greenhouses
- Pump stations
- Equipment rooms
- Frost protection
- Container heating
- Engine bay
- Living quarters
- Wet rooms



Model	Stock Number	Rating (W)	Supply (V)	Dimensions (mm)			Weight (kg)
				A	B	Overall	
STW 1000	S62 01 01 00	1000	110 or 240	500	540	610	6.6
STW 2000	S62 01 02 00	2000	110 or 240	1000	1040	1110	14.5
STW 3000	S62 01 03 00	3000	110 or 240	1500	1540	1610	20
STW 1000T	S62 01 01 00-T	1000	110 or 240	500	540	610	6.6
STW 2000T	S62 01 02 00-T	2000	110 or 240	1000	1040	1110	14.5
STW 3000T	S62 01 03 00-T	3000	240	1500	1540	1610	20

Construction

Powder coated carbon steel construction to RAL 9007 Grey

Terminal Box

Powder coated die cast aluminium, weatherproof to IP66

Element

304 stainless steel finned type

Supply

Standard heaters are designed to 1 phase 110 to 120V and 230 to 240V

Mounting

Support feet are pre-drilled and suitable for floor mounting or wall mounting; heaters should be mounted horizontally with unrestricted air flow around the unit

Rating

1kW, 2kW and 3kW ratings available



**THORNE &
DERRICK**
INTERNATIONAL

Thorne & Derrick
+44 (0) 191 410 4292
www.heatingandprocess.com