
# The DEETER Group®

## 70 Series Stainless Steel Liquid **Level Sensor**



The 70 series is a small side mounted vertical liquid level sensor designed for high temperature/high pressure operation and sensing chemically aggressive liquids. The design provides a cost effective solution where high reliability in a demanding environment is called for. It is ideal for applications in food, automotive, pharmaceutical and chemical industries. As shipped, the float switch is Normally Open and closes on rising to the switching point. This can be changed to Normally Closed and open on rising by inverting the float on the stem.

#### **Technical Data**

Minimum liquid Specific Gravity	0.7	
Maximum Pressure	25 bar	
Operating Temperature	-20°C to +120°C	
Switch rating	Form A: 240Vac, 1Amp, 50Watts max	
	Form C: 60Vdc, 0.25Amp, 4Watts max	
Cable length*	1 Metre	
Cable Type	PTFE insulated 7/0.2	
Weight	30g	
Mounting	M10 x 20mm	
Wetted Materials	316L Stainless Steel	

<sup>\*</sup>For custom length contact the sales office for advice



THORNE & Derrick

DERRICK +44 (0) 191 490 1547 NTERNATIONAL www.heatingandprocess.com



## The DEETER Group®

## 70 Series Stainless Steel Liquid **Level Sensor**


Switch Contact Ratings: are for pure resistive loads. For other loads i.e capacitive, inductive or incandescent lamps please contact Deeter for advice. This device must be earthed when used with hazardous voltages. For AC circuits ensure the peak voltage x current does not exceed the power rating.

### **Fixing**

	Hole Size	Torque	Wall Thickness
M10	10.3mm	6.8Nm	10mm*

<sup>\*</sup>For larger wall thickness contact the sales office for advice





Example: DE70-50A = 70 Series, Material Stainless steel, 50 Watt float switch, Form A SPST.

### All electrical equipment should be installed by a qualified/certified electrician.

The Deeter Group follows a policy of continual development of its products and reserves the right to change specifications and/or features without notice.



THORNE & Thorne & Derrick

DERRICK +44 (0) 191 490 1547 INTERNATIONAL www.heatingandprocess.com

