

FOOD & BEVERAGE INDUSTRIES



THORNE &
DERRICK
INTERNATIONAL

Thorne & Derrick
+44 (0) 191 410 4292
www.heatingandprocess.com




INDUSTRIAL PLUGS & SOCKET-OUTLETS,
DECONTACTOR™ & BOXES

MARECHAL® technology: Faster. Safer. Easier.

MARECHAL ELECTRIC offers a range of products suited to your applications.

The MARECHAL® industrial electrical power socket has a built-in switching function called DECONTACTOR™. This technology makes it possible to connect and disconnect motors in absolute safety, with the ease of "Plug & Play". MARECHAL® industrial electrical power sockets provide unequalled strength over time and guarantee fast and safe operation during maintenance work. They comply with the IEC EN 60309-1 standard and the European Low Voltage Directive.



DECONTACTOR™ technology: tested safety

- A socket with built-in switch in a compact unit
- Simply pressing the button once cuts off the current and eliminates all risk of electrical arcing.
- The plugs then eject automatically and the appliance is off-load.
- The safety of users is guaranteed at all times.

Connection quality and life expectancy


MARECHAL® products are fitted with spring-loaded contacts providing permanent and durable contact. The silver-nickel tips at the end of the contacts provide exceptional connection quality and excellent resistance to wet and corrosive environments, even after years of use.



IP66/IP67 sealing

The reinforced IP66/IP67 watertightness is effective automatically upon connecting the socket or upon closing the lid. It enables the product to be used in extremely wet or dusty environments. Some of our plugs are available up to IP69k for high-pressure cleaning at 100 bar and 80 °C.

Fast and safe connection under any circumstances



The socket latch holds the plug in the socket against the force of the internal spring. This ensures the plug is watertight and that the appliance will start up properly. When the plug is pulled out the safety shutter in the socket prevents access to the live parts.

Products that meet your needs

It's watertight, it's robust, it's resistant to chemicals and it answers your need for plant safety – the DECONTACTOR™ solves your connection problems. Whether a fixed supply or for mobile machines the deconnector's simplicity of use makes the user's life easy and enhances your production.

Humid & corrosive environments

Our design uses silver-nickel butt contacts which resist corrosion even after years of operation. The automatic socket seal resists steam cleaning, water jetting and chemicals.

User operation in fatty or humid environments

Even if wearing protective gloves the operator can simply press the release button. This ejects the plug to a parked position. A quarter turn removes the now dead plug from its socket. NB: Our in-line connections are also switched – for extra safety.

Robust requirements

The glassfibre-reinforced casings resist accidental damage (IK08) as well as operating happily at temperatures between -40 °C and +60 °C.

Motor connections

Acts as local isolation, padlocking available ON/OFF.

Hazardous areas

Wide range of plugs and socket-outlets and boxes for explosive atmospheres in accordance with ATEX Directive 94/9/EC and used in Zones 1 and 2 (gas) and Zone 21 and Zone 22 (dust).

Our selection



DSN

DECONTACTOR™ 20 A / 32 A / 63 A

Covering sizes from 20 to 63 A, DSN DECONTACTOR™ plugs are noted for their compactness of size. The socket + plug combination is automatically IP66/IP67 as soon as the plug is inserted or once the cover is closed manually.

- Automatic IP66/IP67
- Built-in AC-22 and AC-23 switching capability complying with IEC-EN 60947-3
- Shock-resistant GRP casing



MULTICONCONTACTS

CONNECTORS From 7 to 37 contacts From 16 to 25 A

MARECHAL® multicontact connectors are used for signal and control applications. The solid silver-nickel contacts ensure superior conductivity, electrical performance and durability.

Also the materials used for the bodies resist extreme conditions in harsh environments.

Crimping ensures quick and easy assembly and disassembly and provide an economical and sustainable solution.



PNC

CONNECTOR 16 A

The PNC is a compact and rugged connector designed for all types of aggressive environments (humidity, corrosion, pollution). MARECHAL®'s technically advanced silver-nickel butt contact system assures next level performance no matter the conditions.

- Glassfibre reinforced thermoplastic UL94 V-0
- IP66/IP67 as standard (IP68 on request)
- Long life





Spain

Avda. Carlos Sainz, 7,
1ª planta, oficina 2,
28914 Leganés – Madrid
Tel.: +34 91 358 86 12
Fax: + 34 91 358 89 70
e-mail: contact@marechal.com

Italy

Via Italia 33,
20060 Gessate (MILANO)
Tel.: +39 02 95 38 04 06
Fax: +39 02 95 38 08 58
e-mail: sales.it@marechal.com

United Kingdom / Ireland

Tel.: +44 (0) 3330 124 048
e-mail: sales.uk@marechal.com

Benelux

Hogehilweg 16-4
1101 CD Amsterdam Zuidoost
The Netherlands
Tel.: +31 (0)6 52 56 40 81
Fax: +31 (0)84 870 02 13
e-mail: sales.nl@marechal.com

Germany / Austria / Switzerland / East Europe / Russia

MARECHAL GmbH
Im Lössenfeld 8
D-77731 Willstätt-Sand
Germany
Tel.: +49 (0)7852 / 91 96-0
Fax: +49 (0)7852 / 91 96-19
e-mail: info.de@marechal.com

Africa SADC area

HYCON MARECHAL TECHNOLOGY
PO Box 13875 Witfield 1467
Unit A1 Harvard Lane
Aero Star Business Park
Jet Park Road, Jet Park
South Africa
Tel.: +27 11 894 7226/7/8
Fax: 086 604 1778
e-mail: sales.za@marechal.com

USA / Canada / Mexico

MELTRIC Corporation
4765 W. Oakwood Park Drive
Franklin WI 53132
USA
Tel.: +1 414 433 2700
Fax: +1 414 433 2701
e-mail: mail@meltric.com

Middle East

Technor Middle East DMCC
Unit No.2101, Fortune Executive Tower,
Plot No T1
Jumeirah Lakes Towers P.O. Box 392054
Dubai, United Arab Emirates
Tel.: +971 4 362 1418
Fax: +971 4 362 1419
e-mail: mail@technor.ae

Asia

MARECHAL ELECTRIC Asia Pte Ltd
9 Tagore Lane
#01-05 9@Tagore
Singapore 787472
Tel.: +65 6554 2722
Fax: +65 6455 9077
e-mail: sales.asia@marechal.com

Australia

MARECHAL AUSTRALIA PTY LTD
20 Technology Circuit
HALLAM VIC 3803
Tel.: +61 1300 661 830
Fax: +61 1300 663 510
e-mail: sales@marechal.com.au

HEAD OFFICE

5, avenue de Presles
F-94417 Saint-Maurice Cedex
Phone : +33 (0)1 45 11 60 00
Fax : +33 (0)1 45 11 60 60
e-mail: contact@marechal.com

For any other country or area, please contact head office.



**THORNE &
DERRICK
INTERNATIONAL**

Thorne & Derrick
+44 (0) 191 410 4292
www.heatingandprocess.com